



A division of A F Gason Pty Ltd



## WOOD AND GAS HEATING



*Onyx Freestanding*



## WHY YOU SHOULD CHOOSE A EUREKA SOLITAIRE

### Made in Australia - for Australia

All the charm of dancing flames on a cold winter's night, without the heat loss or inconvenience of conventional open fireplaces – that's what Eureka heaters offer you. Extensive research into all aspects of woodheating, followed by stringent evaluation in Australian homes, has resulted in the comprehensive range of woodheaters you see before you in this brochure.





## WOODHEATER RANGE



### *Aztec Freestanding*

The Aztec Freestanding is a strong and robust large fan forced heater created for larger homes of up to 300 sq metres. It features the conventional efficient fire brick lined ash bed design. The Aztec also includes a **removable ash box** for easy cleaning, a feature unique to our range.



### *Onyx Freestanding*

The Onyx freestanding unit is a large powerful heater, designed to heat a home of up to 300 sq metres. The features include a huge bay window, robust firebox with 8mm baffle plate, along with the stylish appearance of the Eureka range.



### *Emerald Mk 3 Freestanding*

The Emerald Mk 3 freestanding is a mid sized heater designed to heat 220 sq metres. With its heavy duty fan and high performance coupled with its large bay view glass and streamlined sides, this heater is an excellent addition to the family home.



### *Miner Freestanding*

The Miner's huge firebox along with its stylish contemporary finish makes this heater stand above the rest. Designed to heat 260 sq metres, this easy to operate heater with a deep fire chamber is sure to impress.



## WOODHEATER RANGE



### **Opal Series 2 Freestanding**

The Opal Series 2 woodheater is efficient, rugged and powerful. It is produced for the budget conscious buyer who wants maximum heating capacity for their dollar. The heater features a large door, a powerful three speed fan and a firebrick lined firebox.



### **Nugget Freestanding**

The Eureka Nugget is a multi-purpose heater, usable for both heating and cooking. You can boil or simmer on either the front or back top shelf of the heater. This unit has the same low clearances of conventionally cased heaters. Fan option available.



### **Onyx Fireplace Insert**

A strong and robust wood heater, the Onyx fireplace insert is easy to operate. Designed to heat 200 sq metres, with its single piece bay window, firebrick lined burn chamber and powerful three speed fan, along with its double fronted firebox, this is the insert to warm the family.



### **Opal Series 3 Fireplace Insert**

The Opal Series 3 fireplace insert designed with its four sided surround will heat 160 sq metres. Installed off the floor in a Zero Clearance application or into a fireplace its a robust heater for the average Australian home.



## WOODHEATER RANGE



### ***Stockade Series 4 Insert***

This large powerful wood heater, with a huge opening and viewing glass is designed to heat 240 sq metres. Brick lined and double rolled baffle, the Stockade Series 4 looks great in any application.



### ***Garnet Series 2 Insert***

The Garnet Series 2 insert is the largest flat glass unit in our range. Contemporary looking with an enormous burn chamber, the Garnet is designed to heat 280 sq metres.

\* Requires a 175mm flue.



### ***Woodstock***

A variation of the popular Opal freestanding unit, but with the added feature of storage under the firebox. This stylish heater is designed to heat up to 180 sq metres.



### ***Garnet Freestanding***

Huge unit with powerful output up to 320 sq metres. Similar features to Opal and Miner units, but a larger version. The huge glass window allows optimum viewing, an 8mm baffle and firebrick lined firebox.



# WOODHEATER RANGE



## Sovereign Edwardian Mk2

- Double fronted firebox for pre-heated primary air
- Strong welded seam and folded 6mm firebox
- Deep ashbed
- Quiet and powerful 3 speed fan
- Firebrick lining to protect the firebox and retain heat for longer burning
- 8mm removeable baffle plate
- 5mm thick heat and shock resistant door glass
- Self cleaning door glass during normal burning

### DIMENSIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	CAPACITY
Sovereign Edwardian Firebox	680mm	705mm	450mm	162kg	Up to 220 sq metres
Alloy Fascia	1050mm	1012mm			
Opening	710mm	667mm			
Mantle	1240mm	1480mm	195mm		

### CLEARANCES

HEARTH TYPE	MIN HEARTH SIZE Width x Depth x Thickness	TO SIDE MEMBERS	FROM TOP OF APPLIANCE TO UNDERSIDE OF MANTLE	TOP OF APPLIANCE TO TIMBER MANTLE SURROUND	FROM BACK OF FASCIA TO FRONT OF FLUE SPIGOT
Floor Protector Tray	870mm x 450mm (360mm in front of heater base) X 16mm	105mm	504mm	274mm	232mm

Zero Clearance option available



# ZERO CLEARANCE CABINET



Create your own fireplace with the Zero Clearance multi-cased steel cabinet. The Zero Clearance Cabinet appliance requires only 12.5 mm clearance from combustibles on the back, sides and top. Plaster, timber paneling etc. can be placed directly against the top and the sides of the fascia of the appliance enabling a freedom of design. The ZC cabinet can accommodate all Eureka wood fired inserts including the Sovereign Edwardian Mk 2.

## Easy Installation

1. Select location for the ZC cabinet to enable the flue assembly to go through the ceiling between the rafters.
2. Position the ZC cabinet as per the instruction book.
3. Build the outside frame to suit and complete the outer casing of flue assembly.
4. Fix outer panels.
5. Install your chosen Eureka insert.
6. The completed project.



*Note: The ZC cabinet must be installed as per installation instructions.*



## SPECIFICATIONS

**NOTE:** The dimensions and clearances on this page are for reference only. Refer to the Owner's Manual for operation and exact specifications prior to installation.

### DIMENSIONS

MODEL	FLUE SIZE	CAPACITY m <sup>2</sup>	HEIGHT	WIDTH	DEPTH	WEIGHT	BACK OF HEATER TO CENTRE OF FLUE	
<b>FREESTANDING HEATERS</b>								
Solitaire	175mm	Up to 350	825mm	882mm	645mm	220kg	180mm	
Aztec	150mm	Up to 300	795mm	809mm	625mm	220kg	165mm	
Onyx	150mm	Up to 300	795mm	809mm	625mm	205kg	165mm	
Emerald Mk 3	150mm	Up to 220	745mm	657mm	625mm	180kg	165mm	
Nugget Standard	150mm	Up to 120	640mm	610mm	600mm	120kg	175mm	
Opal Series 2	150mm	Up to 180	690mm	660mm	510mm	130kg	165mm	
Miner	150mm	Up to 260	760mm	720mm	570mm	165kg	175mm	
Woodstock	150mm	Up to 180	860mm	654mm	475mm	146kg	165mm	
Garnet	175mm	Up to 320	870mm	792mm	572mm	183kg	195mm	
<b>FIREPLACE INSERTS &amp; ZERO CLEARANCE CABINET</b>								
Solitaire	175mm	Up to 300	Fascia	850mm	1076mm	162mm	195kg	134mm
			Rear casing	685mm	760mm	450mm		
Onyx	150mm	Up to 250	Fascia	820mm	1003mm	162mm	185kg	147mm
			Rear casing	655mm	705mm	450mm		
Stockade Series 4	150mm	Up to 260	Fascia	758mm	922mm	42mm	145kg	142mm
			Rear casing	638mm	631mm	430mm		
Opal Series 3	150mm	Up to 160	Fascia	750mm	882mm	42mm	120kg	145mm
			Rear casing	598mm	570mm	365mm		
Garnet Series 2	175mm	Up to 280	Fascia	828mm	994mm	42mm	157kg	129mm
			Rear casing	708mm	703mm	430mm		
Zero Clearance Cabinet (suits all Eureka wood & Topaz inserts)		-	Fascia	1080mm	1200mm	543mm	90kg	-
			Rear casing	720mm	810mm	478mm		

All fireplace insert heaters must be installed in either a brick masonry chimney or a Eureka Zero Clearance Cabinet, and be fully flued.

### CLEARANCES AND HEARTHES

MODEL	MIN HEARTH SIZE Width x Depth x Thickness	REAR WALL	SIDE WALL	CORNERS	
<b>FREESTANDING HEATERS</b>					
Solitaire	975mm x 1145mm x 7.5mm (400mm in front of heater base)	100mm	350mm	50mm	
Aztec	1170mm x 1020mm x 4mm (300mm in front of heater base)	100mm	330mm	50mm	
Onyx	1170mm x 1020mm x 4mm (300mm in front of heater base)	100mm	330mm	50mm	
Emerald Mk 3	900mm x 1070mm x 4.5mm (300mm in front of heater base)	150mm	450mm	125mm	
Nugget Standard	765mm x 1000mm x 6mm (350mm in front of heater base)	25mm	475mm	150mm	
Opal Series 2	1050mm x 1020mm x 12mm (400mm in front of heater base)	150mm	300mm	100mm	
Miner	950mm x 1120mm x 4.5mm (400mm in front of heater base)	150mm	350mm	150mm	
Garnet Series 2	1170mm x 1125mm x 12mm (400mm in front of heater base)	200mm	400mm	150mm	
Woodstock	890mm x 1000mm x 9mm (350mm in front of heater base)	175mm	350mm	75mm	
<b>FIREPLACE INSERTS - Masonry and Zero Clearance Cabinet</b>					
MODEL	MIN HEARTH SIZE Width x Depth x Thickness	TO SIDE MEMBERS	FROM TOP OF APPLIANCE TO UNDERSIDE OF MANTLE	TOP OF APPLIANCE TO TIMBER MANTLE BREAST PLATE	FROM BACK OF FASCIA TO FRONT OF FLUE SPIGOT
Solitaire	1076mm x 500mm (350mm in front of heater base) x 12mm	25mm	404mm	404mm	232mm
Onyx	1003mm x 450mm (300mm in front of heater base) x 16mm	25mm	454mm	330mm	232mm
Opal Series 3	900mm x 450mm (400mm in front of heater base) x 16mm	50mm	350mm	250mm	145mm
Stockade Series 4	950mm x 450mm (400mm in front of heater base) x 28mm	50mm	392mm	292mm	213mm
Garnet Series 2	1020mm x 450mm (400mm in front of heater base) x 25mm	40mm	692mm	592mm	213mm

Eureka Heating reserves the right to modify or alter specifications, materials, etc. in the interest of product improvement.



Eureka Wood & Gas Heating,  
a division of A F Gason Pty Ltd

Phone: (03) 9729 1422 Fax: (03) 9729 1455  
e-mail: eureka@gason.com.au  
website: www.eureka-heating.com



YOUR LOCAL AUTHORISED DEALER IS  
- SPECIALIST EUREKA DEALER -  
**HEAT WOODS**  
**COOLWORKS**  
126 MAGILL RD NORWOOD // 608 NORTH EAST ROAD HOLDEN HILL